


PART NO. U709015-XX

REVISIONS				
LTR	DESCRIPTION	DATE	APPROVED	
A	INITIAL RELEASE SEE DO 5187	CP 6-12-03	A.J.	
B	SEE DO 5353	CP 12-16-03	A.J.	
C	SEE DO 6328	CP 01-17-07	I.M.	



NOMENCLATURE :

CA - U709015 - XX


SERIAL ATA
CABLE ASSEMBLY

② LENGTH
(DIM 'A' IN INCHES)
TOLERANCE : < 6 [152.4] ± .5 [12.7]
6 [152.4] TO 24 [609.6] ± 1.0 [25.4]

2. MEETS THE REQUIREMENTS OF DIRECTIVE 2002/95/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 27 JANUARY 2003 ON THE RESTRICTION OF THE USE OF CERTAIN HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT. (ROHS)

① CA LOGO SHALL BE .17 [4.3] HIGH APPROXIMATELY WHERE SHOWN.

WIRING DIAGRAM :



NOTES : UNLESS OTHERWISE SPECIFIED

DIMENSIONS ARE IN INCHES TOLERANCES ARE :		APPROVALS		DATE	CIRCUIT ASSEMBLY CORP. 18 THOMAS ST., IRVINE, CALIFORNIA 92618-2777
DECIMALS	ANGLES	DRAWN	CUONG P.	6-12-03	
XX ± .010	±3°	CHECKED	A. JOCHEN	6-12-03	CABLE ASSEMBLY CA-D15SASC/04 PIN-XX "ROHS COMPLIANT"
XXX ± .005		<small>THE INFORMATION AND DESIGN DISCLOSED HEREIN WAS ORIGINATED BY AND IS THE PROPERTY OF CIRCUIT ASSEMBLY CORPORATION. CIRCUIT ASSEMBLY CORPORATION RESERVES ALL PATENT, PROPRIETARY, DESIGN, MANUFACTURING, REPRODUCTION, USE AND SALES RIGHTS THERE TO, AND TO ANY ARTICLE DISCLOSED HEREIN EXCEPT TO THE EXTENT RIGHTS ARE EXPRESSLY GRANTED TO OTHERS. THE FOREGOING DOES NOT APPLY TO VENDOR PROPRIETARY RIGHTS.</small>			
DIMENSIONS IN BRACKETS [X.XX] ARE MILLIMETERS TOLERANCES ARE :		SIZE	CODE IDENT NO.	DRAWING NO.	REV.
DECIMALS	ANGLES	C	52072	U709015	C
X ± .25	±3°	SCALE: 2 : 1		SHEET 1 OF 1	
XX ± .13		DO NOT SCALE DRAWING			